



WISE WI-FI DAISY INTERFACE

Daisy Simple programming instruction

Parts Supplied



Installation

1 Install Wise WIFI Daisy

Plug the daisy to power socket where you have strong Wi-fi 2.4GHz (Make sure you use the original European 2 pin plug with UK 3 pin adapter/converter)



If you have any problem when you use this App, you can call or contact us with email:
info@wisecontrols.com



WISE WI-FI DAISY INTERFACE

Note: The LEDs Start flashing quickly should change blue steady after 10 sec if this takes longer then you do need to switch the power off and ON and hold P button until blue and red start to flash equally, then release the press blue light should stay steady (Reset is done) and ready to program.

2 Download Wise control App and Walk through setup

For Android phones and tablets



For iPhones and iPads



Search for "WISE CONTROLS" App



2 Create New User name and Password

Create New user name and password



Verify Account by Email

If you have any problem when you use this App, you can call or contact us with email:
info@wisecontrols.com




WISE WI-FI DAISY INTERFACE


2 Log in to the App and start first installation

Log in to the app start installation as follow:

- A- For Apple devices, Leave Mobile Data connected. Go to WIFI Make sure Daisy Number chosen, then Go to Wise Control App and Press start new Installation



- B- For Android, turn off Mobile Data and Link to 2.4GHz WIFI, then type the Daisy number on the app and tap on create first installation




If you have any problem when you use this App, you can call or contact us with email:
info@wisecontrols.com



WISE WI-FI DAISY INTERFACE

Daisy Switches Configuration


-Go to Room and create Room, name it and choose Photo then do the following:



1. Tap "+" to add remote commands. Select the type of controlled device from the list.




2. Tap the transmitter to add.



3. Assign a "Name".

----- Add to Favourites

----- Enable if the receiver is Blue Series
----- Enable to set the timers




Once you finish from adding Switches then program them to any receiver (Wise Box, Scene, pack and so on) make sure timer is activated

Example

Programming Switch on App to Wise Scene Box as scene Switch

- Create 7 button Switch on App (Name the switch, Name buttons)
- Program the Switch to Wise Scene Box by pressing Blue Button once to make sure which channel you trying to program then two press on Yellow button on the box and hold on second press this should sound continuously, while you holding the button press the any button of 7 button switch on App



1- Select the output to associate by pressing the button **P4** (the selection will be indicated by the relative led ON).

2- Press the button **P2 once** and hold it down; the buzzer will sound a continuous beep.


3- During the beep sound press any button of the 7 channel transmitter to memorize; the memorization is indicated by the intermittent sound of the buzzer.




WISE WI-FI DAISY INTERFACE

Timers

For Timer, you need to create two button switches:




1. Create new timer accessing the menu "Timers" in Setup.




2. Tap "+" to add a timer.




3. Tap "Light 1" to add a timer.




4. Tap (GREEN) to chose the command



5. Enable the timers. Set the hour for the timers.



6. Tap "Save Changes".



7. Repeat steps 2 and 3 to add timers to the other devices.




Note: swipe a listed timer left to delete it.

- Adding Sunrise-Sunset Features



WISE WI-FI DAISY INTERFACE



Scenario

you can create scenarios from any combination of buttons. Once a scenario has been created you have the option to copy it to a switch. This gives you new possibilities for your existing switches


If you have any problem when you use this App, you can call or contact us with email:
info@wisecontrols.com



WISE WI-FI DAISY INTERFACE

Go to scenario from setup menu Tap on (+) to link switches and name scenario


Once the scenario has been completed, it's possible to assign it to a transmitter button or to a wired N.O. button connected to the input 4-5.





Tap to delete all the associated transmitter buttons.

Tap and press the transmitter button to delete.


Tap and press the transmitter button to assign.




Note: When transmitters or the wired input are programmed, this icon is ON



1. Create new scenarios accessing the menu "Scenarios" in Setup.



2. Tap "+" to add a scenario. Set the Name and assign an icon amongst the 9 provided.



3. Tap "+" to add remote commands from any room.



4. Select the type of controlled device from the list.



5. Tap (Light 1) to add the first command.



6. Tap (GREEN) to chose the command the (OK).



7. The first device configured for the scenario appears on the display.



8. Repeat steps 3-4-5 to add the other devices to the scenario.



Note: swipe a listed scenario left to delete it.

If you have any problem when you use this App, you can call or contact us with email:
info@wisecontrols.com



WISE WI-FI DAISY INTERFACE

Troubleshooting

Problem	Solution
<i>First configuration procedure:</i> Blue and Red LEDs flashes alternately for long time	Wait until the LEDs stop flashing even if appear the message "Connection between board and phone failed". If the LEDs continue to flash, check that the router does not have filters blocks set.
<i>First configuration procedure:</i> Blue Led flashes slowly - Connection failed	Check that the data are correct and repeat the first installation procedure
<i>First configuration procedure:</i> GPS connection problem	Verify that the GPS function is enabled and set to high precision mode
<i>Normal operating mode:</i> Disconnection from the WiFi network: Blue and Red LEDs flashes alternately	Verify that the router is powered and connected to internet.
<i>Normal operating mode:</i> No internet connection - Blue LED flashes each 0.3s.	Check the router's internet connection
<i>Normal operating mode:</i> Emergency mode - Blue LED flashes each 0.1s.	Available only direct commands. Check the router's internet connection
<i>Timers are not functioning correctly</i>	Tap Synchronise button on Board setup Mode and make sure timers been activated and main timer page active as well This process can be done to improve timers' function
<i>Seen sign of cloud on top</i>	Daisy connected to cloud but no internet connection, check internet WIFI 2.4G connected to Daisy interface
<i>Daisy keep disconnecting from Wifi/ Router</i>	check Main Daisy Plug 1.2A which is the original with UK 3 pin converter, Check WiFi that is connected to Daisy is 2.4GHz not 5GHz.

If you have any problem when you use this App, you can call or contact us with email:
info@wisecontrols.com



WISE WI-FI DAISY INTERFACE



P button can be used for re-setting Daisy:

- Switch power off and hold P button
- Switch power ON and keep hold button
- Red and blue lights are flashing alternatively
- After 10 sec holding red and blue start to flash together once you see that release Pressing
- Red light should disappear and only blue light will flash
- -Daisy now is ready for connection